


- < !DOCTYPE HTML PUBLIC"-//IETF//DTD HTML 2.0//EN" >
- < HTML >
- < HEAD >
- < TITLE > WEB CONSOLE INTERFACE</TITLE>
- < /HEAD >
- < BODY >
- < IMG SRC="/dev/device.png" >
- < IMG SRC="/nic/error.png" >
- < /BODY >
- < /HTML >

FIG. 3









FIG. 5







REMOTE PROCEDURE CALL ID (100)

REQUEST/ANSWER FLAG (0)

DATA SIZE (ANY)

REQUEST WEB CONTENTS PATH ("/dev/device.html")

FIG. 9

REMOTE PROCEDURE CALL ID (100)

REQUEST/ANSWER FLAG (1)

ANSWER STATUS (1)

DATA SIZE (ANY)

REQUEST WEB CONTENTS DATA






FIG. 11


device.png	
device.html	
config.html	
job.html	

FIG. 12





then that and then then then that the that the that I have been the that I have the



DUPLEX	ON	ON	ON	YES	YES	YES
500-SHEET CASSETTE	NO	NO	YES	NO	NO	YES
250-SHEET CASSETTE 500-SHEET CASSETTE	ON	YES	ON	ON	YES	ON
BIT MAP IMAGE	14-1	14-2	14-3	14-4	14–5	14-6

FIG. 16





FIG. 17







FIG. 18




SAMPLE IN JAPANESE LANGUAGE

M

1358 1359

ユーティリティデバイス制御



•

•






FIG. 22





SAMPLE IN JAPANESE LANGUAGE




FIG. 25

_
_

FIG. 26

